## CORRECTION

Correction: A digital intake tool to avert outpatient visits in a FIT-based colorectal cancer screening population: study protocol of a multicentre, prospective non-randomized trial - the DIT-trial

Fleur E. Marijnissen<sup>1</sup>, Pieter J. F. de Jonge<sup>1</sup>, Nicole S. Erler<sup>2,3</sup>, Sohal Y. Ismail<sup>4</sup>, Iris Lansdorp-Vogelaar<sup>5</sup> and Manon C. W. Spaander<sup>1\*</sup>

#### **Correction: BMC Gastroenterol 24, 38 (2024).** https://doi.org/10.1186/s12876-023-03039-0

Following publication of the original article, it was identified that there was an error in reporting the sample size calculation. The non-inferiority margin was inaccurately reported as -0.5%, whereas it should be correctly stated as -8.0%. The stated -0.5% refers to the clinically acceptable difference in the context of the national screening program guideline, which require that a minimum of 90% of the participants achieve adequate bowel preparation. Given this clinically acceptable difference of -0.5%, corresponding to at least 89.5% of the participants achieving

The online version of the original article can be found at https://doi. org/10.1186/s12876-023-03039-0.

University Medical Center, Rotterdam, the Netherlands

# Rotterdam, the Netherlands

# © The Author(s) 2024. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

erdam, the cal Center,

adequate bowel preparation, and the current adequate

bowel preparation rate of 97.5%, the correct non-inferi-

Importantly, the error is only in the wording of the

sample size description. There is no alteration to the total

number of inclusions, as the calculation was based on

the correct non-inferiority margin of 0.08. Therefore, the

integrity of the study's design and its conclusions remain

Springer Nature remains neutral with regard to jurisdictional claims in

The original article has been updated.

ority margin is -8.0%.

Published online: 19 June 2024

published maps and institutional affiliations.

**Publisher's Note** 

intact.





### **Open Access**

<sup>\*</sup>Correspondence:

Manon C. W. Spaander

v.spaander@erasmusmc.nl

<sup>&</sup>lt;sup>1</sup>Department of Gastroenterology and Hepatology, Erasmus MC,

<sup>&</sup>lt;sup>2</sup>Department of Biostatistics, Erasmus MC, University Medical Center, Rotterdam, the Netherlands

<sup>&</sup>lt;sup>3</sup>Department of Epidemiology, Erasmus MC, University Medical Center, Rotterdam, the Netherlands

<sup>&</sup>lt;sup>4</sup>Department of Psychiatry, Section Medical Psychology and

Psychotherapy, Erasmus MC, University Medical Center, Rotterdam, the Netherlands

<sup>&</sup>lt;sup>5</sup>Department of Public Health, Erasmus MC, University Medical Center, Rotterdam, the Netherlands